



## AM security systems

### X-CLEAR

The new X-Clear AM EAS system operates at 58 KHz. A full acrylic structure is supported by high-end, thin aluminium profiles. The slim base makes the X-Clear AM one of the thinnest EAS systems in the market today.

The X-Clear AM is easily upgraded with a TCP/IP module which allows to remote connect and service the system. Through high-end software system data can be extracted to one central point which results in direct insight into system performance & reduces maintenance costs and downtime.

#### Black Line Series




The Black Line Series treasures all the technological innovations and features of MTC EAS Systems but with an original and stylish black look.



# X-CLEAR System design



# X-CLEAR System dimensions



## Features

Advanced anti noise algorithms	●	RGB light	●
Jammer Alarm	●	Programmable sound and light	●
Near Tag Alarm	●	Internet access	○
Silent Alarm through app	○	Tuning Software	●
System Status	●	Booster Bag Detection	○
<b>Green Mode</b> 	●	Magnet Detection	-
Aisle identification light	●	People Counter	-
Relay Output	●	Extended Connectivity	●

● Included    ○ Optional

## Detection range


DR Labels, Supertag	Up to 200 cm
Ferrite Tags	Up to 240 cm

## Technical specs

Width	440 mm
Height	1527 mm
Depth	27 mm / 47 mm
Weight	12 kg
Mains	110/220 V
Relay/Inputs/Outputs	1/2/2
Operating temperature	Up to 58°C / 185°F

## Product reference

Dual System	XS-A2MXC58BC
Mono System	XS-A2MXC58TRX
RX Antenna	XS-A2MXC58RA



Detection ranges measured under low electrical noise conditions. Detection ranges under higher electrical noise conditions may decrease. For mono systems, total detection coverage (both sides of the antenna). For dual systems, detection coverage between the antennas.